


# 3-layer engineered flooring 11mm



## CONSTRUCTION



## AVAILABLE COLLECTIONS

Collection	Chateau	Kolonial	Soft Tone	Harfa Vintage	Pelgrim	Karel IV
Surface structure	Sanded	Brushed	Slightly brushed	Irregularly cross-sawn, brushed	Specially filled and distressed	Handcrafted
Finish	Osmo PolyX + Osmo PolyX top-coating					ESCO oxidative oil
Connection	Single Strip					
Level	T&G					
Length	4V 20% sqm 680-1200, 80% sqm 1720+ max. 2400 mm, up-to 20% nested					
Size	Grading					
155	Lively		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		

## TECHNICAL PROPERTIES

	Test method	Request	Result
Production standard & Conformity	EN 14342, EN 13489		Implemented
Moisture content	ČSN EN 13183-1		7 ±2%
Formaldehyde emission	ČSN EN 717-1	≤ 0,124mg/m3	E1
PCP (pentachlorophenol)	CEN/TR 14823	≤ 5 ppm	meets
Slip resistance sanded	CEN/TS 15676		Dry ≥ 69, Wet ≥ 26
Slip resistance brushed	CEN/TS 15676		Dry ≥ 69, Wet ≥ 29
Reaction to fire	ČSN EN 13501-1		Dfl-S1
Thermal resistance	ČSN EN ISO 10456		0,085 m2 · K/W
Thermal conductivity	ČSN EN ISO 10456		0,13 W/mK
Biological durability	ČSN EN 335		Class 1
Underfloor heating			<input checked="" type="checkbox"/>

### Recommended usage

Suitable for interior use in all project sectors: residential-commercial-hospitality-retail. Actual warranty & maintenance instructions apply

### Well-managed forests

This product is made of PEFC certified wood

### Tested by Eurofins Product Testing and evaluated against:

French VOC Regulation		Degree of March 2011 (DEVL1101903D) and Article of April 2011 (DEVL1104875A) modified in February 2012 (DEVL1133129A)
French CMR components	Pass	Regulation of April and May 2009 (DEVPO908633A and DEVPO910046A)
Italian CAM Edilizia	Pass	DM 23 giugno 2002 n. 256, GURI n.183 del 6 agosto 2002
ABG/AgBB	Pass	Ausschuss zur gesundheitlichen Bewertung von Bauprodukten (June 2021)
Belgian Regulation	Pass	Royal decree of May 2014 (C-2014/24239)
Indoor Air Comfort	Pass	Indoor Air Comfort 9.0 of June 2023
Indoor Air Comfort Gold	Pass	Indoor Air Comfort GOLD 9.0 of June 2023
BREEAM International	Exemplary level	BREEAM International New Construction v6.0 (2021)
BREEAM NOR	Exemplary level	BREEAM-NOR v6.1 New Construction (2023)
EU Taxonomy	Pass	Regulation (EU) 2020/852 of the European Parliament and of the Council
LEED v4.1 BETA (outside U.S.)	Pass	LEED v4.1 BETA for Building Design and Construction (February 2024)

Test report: 392-2024-0038901\_LA\_EN

